(formerly 9-331c)

	:DSIAI	
DEPARTMENT	OF THE	INTERIOR

001	DEPARTMENT OF THE INTERIOR			5. LEASE DESIGNA	TION AND SERIAL NO.	
BUREAU OF LAND MANAGEMENT				UI	TU-80571	
APPLICATION 1a TYPE OF WORK	ON FOR PE	RMIT TO D	RILL, DEEPEN, OI	R PLUG BACI	K 6. IF INDIAN, ALLOT	
DRILL B TYPE OF WELL		DEEPEN	PLUG B	ACK	7. UNIT AGREEMEN na	
OIL G.	AS X	OTHER	ZONE MULTIPLE ZO	ONE X	8. FARM OR LEASE Na	
2. NAME OF OPERATOR The House	ton Explorat	ion Compan	y		9. WELL NO. Southman	Canyon 8-30
	siana Suite 2	000 Houstor			10. FIELD OR LEAS Wildcat	E NAME
LOCATION OF WELL (Reg at surface 1875' FI At proposed prod. Zone	NL & 818' FEL	SENE 649	14067 -109.24	55 9 <i>55</i> 5	11. Sec., T., R., M., (AND SURVEY OR A Sec. 30, T95	REA 5, R24E
	South of Vern	al, UT			12. COUNTY OR PA	Utah
15. DISTANCE FROM PROP LINE , FT. (Also to nearest dr 750'		ST PROP. OR LEASE	116. NO. OF ACRES IN LEASE. 480	17. NO. OF A TO THIS	CRES ASSIGNED WELL 40	
16. DISTANCE FROM PROP TO NEAREST WELL, DRILL! OR APPLIED FOR, ON THIS	NG COMPLETED.	1,000'	19. PROPOSED DEPTH 8,30		OR CABLE TOOLS	
21. ELEVATION (SHOW WHI 5401' GI		2.)				WORK WILL START 1, 2004
		PROPOSED CA	ASING AND CEMENT PRO	GRAM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO				
12 1/4"	8 5/8"	36#	2000'	779	sks	
7 7/8"						

The operator requests permission to drill the subject well. Please find the attached 10 point plan and 13 point plan.

William A Ryan 350 S. 800 E Vernal, UT 84078 435-789-0968

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new
productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give

Agent Sept. 17, 2004 SIGNATURE TITLE DATE PERMIT NO APPROVAL DATE APPROVED BY TITLE CONDITIONS OF APPROV **ENVIRONMENTAL SCIENTIST III**


*See Instructions on Reverse Side

Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Federal Approval of this Action is Necessary

DIV. OF OIL, GAS & MINING

SEP 2 8 2004



SELF-CERTIFICATION STATEMENT

The following self-certification statement is provided per Federal requirements dated June 15, 1988.

Please be advised that The Houston Exploration Company are considered to be the operator of the following well.

Southman Canyon 8-30 SE 1/4, NE 1/4, Section 30, T.9S, R. 24 E. Lease UTU-80571 Uintah County, Utah

The Houston Exploration Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond 104155044 provides state-wide bond coverage on all Federal lands.

William A. Ryan

Agent

Rocky Mountain Consulting

350 S. 800 E.

Vernal UT 84078

435-789-0968 Office

435-828-0968 Cell

435-789-0970 Fax

rmcwar@hotmail.com

Ten Point Plan

The Houston Exploration Company

Southman Canyon 8-30

Surface Location SE ¼ NE ¼, Section 30, T. 9S., R. 24 E.

1. Surface Formation

Green River

2. Estimated Formation Tops and Datum:

Formation	Depth	<u>Datum</u>
Green River	Surface	+5,401' G.L.
Uteland Butte Limestone	3,946	+1,455'
Wasatch	4,080	+ 1,321'
Mesaverda	5,747	-346'
Buck Tounge	8,080	-2,679'
Castlegate	8,152	-2,751'
Mancos	8,447	-3,046'
TD	8,300'	-2,899

A 12 ½ hole will be drilled to 2,000' +/-. The hole depth will depend on the depth that the Birds Nest Zone is encountered. The hole will be drilled 400' beyond the top of the Birds Nest.

3. Producing Formation Depth:

Formation objective includes the Green River, Wasatch, Mesaverde and its submembers.

Off Set Well information:

Off set well: Permitted/Drilled

Bonanza 10-11 Bonanza 1-11 Bonanza 8-11 Bonanza 4B-12

Abandon Wells:

SR 23-11

4. Proposed Casing:

Hole	Casing			Coupling	Casing	
<u>Size</u>	<u>Size</u>	Weight/FT	<u>Grade</u>	& Tread	<u>Depth</u>	New/Used
12 1/4	8 5/8	36#	J-55	STC	2000	NEW
7 7/8	4 ½	11.6#	M-55	LTC	T.D.	NEW

Cement Program:

The Surface Casing will be cemented to the Surface as follows:

Lead:	Casing Size	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement <u>Weight</u>
Leau.	8 5/8	Primium Lite II .05#/sk Static Free .25#/sk Cello Flake 5#/sk KOL Seal .002 gps FP-6L 10% Bentonite .5% Sodium Metasil 3% Potassium Chlor		3.38ft³/sk	11.0 ppg
Tail:					
	8 5/8	Class "G" 2% Calcium Chlorid .25#/sk Cello Flake	329 sks. +/- le	1.2ft³/sk	15.6 ppg
Top Jo	ob:				
	8 5/8	4% Calcium Chlorido .25#/sk Cello Flake	e 200 sks. +	/-1.10ft³/sk	15.6 ppg

Production casing will be cemented to 2,500' or higher as follows:

	Casing <u>Size</u>	Cement Type	Cement Amounts	Cement <u>Yield</u>	Cement Weight
	<u>5120</u>	<u> 1700</u>	7 Hillouitts	11010	WOIGH
Lead:					
	4 1/2	Primium Lite II .25#/sk Cello Flake .05#/sk Static Free 5#/sk Kol Seal 3% Potassium Chlor .055 gps FP-6L 10% Bentonite .5 Sodium Metasilica		3.3ft³/sk	11.0 ppg
Tail:					
	4 1/2	Class "G" .05% Static Free 2 Sodium Chloride .1% R-3 2% Bentonite	400 sks +/-	1.56ft³/sk	14.3 ppg

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 3000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

Interval	Mud weight <u>lbs./gal.</u>	Viscosity Sec./OT.	Fluid Loss MI/30 Mins.	Mud Type
0-2000 2000-T.D.	Air/Clear Water 8.4-12.0	30	No Control 8-10	Water/Gel Water/Gel

7. Auxiliary Equipment

Upper Kelly cock, full opening stabbing valve, 2 ½" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

a)	Test:	None are anticipated.

b) Coring: There is the possibility of sidewall coring.

c) Sampling: Every 10' from 2000' to T.D.

d) Logging: Type Interval


DLL/SFL W/GR and SP
T.D. to Surf. Csg
FDC/CNL W/GR and CAL
T.D. to Surf. Csg

9. Abnormalities (including sour gas):

No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated in the Wasatch Formation. Other wells drilled in the area have not encountered over pressured zones or H2S.


10. Drilling Schedule:

The anticipated starting date is November 1, 2004. Duration of operations is expected to be 30 days.




THE HOUSTON EXPLORATION COMPANY

TYPICAL 3,000 p.s.i. BLOWOUT PREVENTER SCHEMATIC



TYPICAL 3,000 p.s.i. CHOKE MANIFOLD SCHEMATIC



THE HOUSTON EXPLORATION COMPANY 13 POINT SURFACE USE PLAN

SOUTHMAN CANYON 8-30

FOR WELL

LOCATED IN SE 1/4 NE 1/4

SECTION 30, T.9S, R24E, S.L.B.&M.

UINTAH COUNTY, UTAH

LEASE NUMBER: UTU-80571

SURFACE OWNERSHIP: FEDERAL

1. Existing Roads:

To reach The Houston Exploration Co well Southman Canyon #8-30 in Section 30, T9S, R 24 E, Starting in Vernal, Utah.

Proceed in an easterly, then southerly direction from Vernal, Utah along US Highway 40 approximately 3.9 miles to the junction of State Highway 45; exit right and proceed in a southerly, then southeasterly direction approximately 36.6 miles on State Highway 45 to the junction of this road and an existing road to the west, turn right and proceed in a westerly, then northwesterly direction approximately 4.4 miles to the junction of this road and an existing road to the south; turn left and proceed in a southerly, then southeasterly direction approximately 1.6 miles to the junction of this road and an existing road to the northwest; turn right and proceed in a northwesterly direction approximately 0.2 miles to the beginning of the proposed access to the east; follow road flags in an easterly direction approximately 0.1 miles to the proposed location.

Total distance from Vernal, Utah to the proposed well location is approximately 46.8 miles.

All existing roads to the proposed location are State of Utah, BLM maintained or County Class D roads. Please see the attached map for additional details.

2. Planned access road

The proposed access road will be approximately 528' +/- of new construction on lease. The road will be graded once per year minimum and maintained.

A) Approximate length	528 ft
B) Right of Way width	30 ft
C) Running surface	18 ft
D) Surface material	Native soil
E) Maximum grade	5%
F) Fence crossing	None
G) Culvert	None
H) Turnouts	None
I) Major cuts and fills	None
J) Road Flagged	Yes
K) Access road surface of	ownership
	Federal
L) All new construction	on lease
	Yes
M) Pipe line crossing	None

Please see the attached location plat for additional details.

A right of way will not be required. All surface disturbances for the road and location will be within the lease boundary.

3. Location of existing wells

The following wells are located within a one-mile radius of the location site.

A) Producing well	None
B) Water well	None
C) Abandoned well	None
D) Temp. abandoned well	None
E) Disposal well	None

F) Drilling /Permitted well Southman Canyon 2D-30 Southman Canyon 4-30 Southman Canyon 6-30 Southman Canyon 9-30 Southman Canyon 12-30 Southman Canyon 13-20 Southman Canyon 14-30

G) Shut in wells

None

H) Injection well

None

I) Monitoring or observation well

None

Please see the attached map for additional details.

4. Location of tank batteries, production facilities and production gathering service lines.

All production facilities are to be contained within the proposed location site. Please see the attached plat plan for a typical gas well separator installation and well site piping.

All permanent (on site for more than six months or longer) structures constructed or installed will be painted a Desert Tan color. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint color is Desert Tan.

All tanks will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank in the battery. The integrity of the dike will be maintained.

The operator will adhere to all site security guidelines and regulation identified in 43 cfr 3126.7.

All off lease storage, off lease measurement, commingling on lease or off lease, of production, will have prior written approval form the authorized officer.

If the well is capable of economic production a surface gas line will be required.

Approximately 523' +/- of 3" gathering line would be constructed on Federal Lands. The line would tie into the proposed pipeline in Sec. 30, T9S, R24E. The line will be strung alone the access road.

Please see the attached location diagrams for pipeline location. There will be no additional surface disturbances required for the installation of a gathering line.

The gas meter run will be located within 500' of the wellhead. The gas line will be buried or anchored down from the wellhead to the meter. Meter runs will be housed and/or fenced.

The gas meter will be calibrated and the tank strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The authorized officer will be provided with a date and time for the initial meter calibration and all future meterproving schedules. A copy of the meter calibration report will be submitted to the BLM's Vernal District office and State of Utah. Division of Oil, Gas, and Mining.

All measurement facilities will conform to API (American Petroleum Institute) and AGA (American Gas Association) standards for gas and liquid hydrocarbon measurement.

5. Location and type of water supply

Water for drilling and cementing will come from the White River at the Bonanza Bridge, Permit # - T75376.

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravel or pit lining material will be obtained from private resources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 12 ft. deep and most of the depth shall be below the surface of the existing ground Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to store water for drilling. A semiclosed system will be used to drill the well. All fresh water for drilling will come from a frac tank placed on location and from the rig tank. The pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank for a period not to exceed 90 days after initial production. During the 90-day period an application for approval for permanent disposal method and location will be submitted to the authorized officer.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized landfill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

and/or braced in such a manner to keep the fence tight at all times.

9. Well-site layout

Location dimensions are as follows:

A) Pad length	330 ft.
B) Pad width	240 ft.
C) Pit depth	12 ft.
D) Pit length	147 ft.
E) Pit width	75 ft.
F) Max cut	13.0 ft.
G) Max fill	13.4 ft
H) Total cut vds	7 420 cu vds

- H) Total cut yds. 7,420 cu yds
- I) Pit location west side
- J) Top soil location north & west side
- K) Access road location

South end

L) Flare Pit

corner B

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- A) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- B) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at leas 42 inches.
- C) Corner posts shall be cemented

D) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.

E) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location. the top 6 inches of soil material will be stripped off the location and the pit area. The topsoil removed and piled will amount to approximately 1,600 cubic yards of material. Topsoil will be stockpiled in one distinct pile. Placement of the topsoil is noted on the attached location plat. The topsoil pile from the location will be seeded as soon as the soil is stock piled with the seed mix listed. When all drilling and completion activities have been completed and the pit back-filled the topsoil from the pit area will be spread on the pit area. The pit area will be seeded when the soil has been spread. The unused portion of the location (the area outside the dead men) will be re-contoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be

restored to its original line of flow or as near as possible when the pit is back-filled

All disturbed areas will be recontoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert the run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas will be scarified. And left with a rough surface.

A) Seeding dates:

Seed will be spread when topsoil is stock piled and when reclamation work is performed. The seed mix and quantity list will be used whether the seed is broadcast or drilled.

B) Seed Mix

Black Sage 1#/acre Shad scale 4#/acre Galleta Grass 4#/acre

11. Surface ownership:

Access road Federal Location Federal Pipe line Federal

12. Other information:

A) Vegetation

The vegetation coverage is Slight. The majority of the existing vegetation consists of non-native species. Rabbit brush, bitter brush, and Indian Rice grass and Sagebrush are also found on the location.

B) Dwellings:

There are no dwelling or other facilities within a one-mile radius of the location.

C) Archeology:

The location has been surveyed. A copy of that survey will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity

(subject to the antiquities act of June 8, 1906) are discovered, all operations, which would affect such sites, will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is the White River located 3 miles to the South.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without prior application.

F) Notification:

- a) Location Construction At least forty eight (48) hours prior to construction of location and access roads.
- b) Location completion Prior to moving on the drilling rig.
- c) Spud notice At least twenty-four (24) hours prior to spudding the well.
- d) Casing string and cementing
 At least twenty-four (24) hours prior to running casing and cementing all casing strings.
- e) BOP and related equipment tests

At least twenty-four (24) hours prior to initial pressure tests.

f) First production notice Within five (5) business days after the new well begins, or production resumes after well has been off production for more than 90 days.

G) Flare pit:

The flare pit will be located in corner B of the reserve pit out side the pit fences and 100 feet from the bore hole on the east side of the location. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan Rocky Mountain Consulting Vernal, UT 84078

Office 435-789-0968 Fax 435-789-0970 Cellular 435-828-0968

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, onshore oil and gas orders, and any applicable notices to lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field

representative to ensure compliance.

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

Onsite Dates: 9/16/04

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be preformed by The Houston **Exploration Company and its** contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

William A. Ryan, Agent

Rocky Mountain Consulting


Statement of use of Hazardous Materials


No chemical(s) from the EPA's consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986. Will be used, produced, transported, stored, disposed, or associated with the proposed action. No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored transported, disposed, or associated with the proposed action.


If you require additional information please contact.

William A Ryan Agent for The Houston Exploration Company Rocky Mountain Consulting 350 S. 800 E. Vernal UT 84078

435-789-9068 Office 435-828-968 Cell 435-789-0970 Fax







THE HOUSTON EXPLORATION COMPANY

SOUTHMAN CANYON #8-30

LOCATED IN UINTAH COUNTY, UTAH SECTION 30, T9S, R24E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY





PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY



LOCATION PHOTOS		08 MONTH	11 DAY	04 YEAR	рното
TAKEN BY: N.H.	DRAWN BY: P.M	I. REV	ISED:	00-00-00	






WORKSHEET

PLICATION FOR PERMIT TO DRILL

APD RECEIVED: 09/28/2004	API NO. ASSIGNED: 43-047-35967
WELL NAME: SOUTHMAN CYN 8-30 OPERATOR: HOUSTON EXPLORATION CO, (N2525) CONTACT: BILL RYAN PROPOSED LOCATION: SENE 30 090S 240E SURFACE: 1875 FNL 0818 FEL BOTTOM: 1875 FNL 0818 FEL UINTAH WILDCAT (1) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-80571 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: MNCS COALBED METHANE WELL? NO	PHONE NUMBER: 435-789-0968 INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface LATITUDE: 40.00906 LONGITUDE: -109.2496
RECEIVED AND/OR REVIEWED: ✓ Plat ✓ Bond: Fed[1] Ind[] Sta[] Fee[] (No. 104155044) Potash (Y/N) ✓ Oil Shale 190-5 (B) or 190-3 or 190-13 ✓ Water Permit (No. T75376) RDCC Review (Y/N) (Date:) Fee Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
STIPULATIONS: 1- Edern 2-Spacing	O approxi





State of Utah

Department of Natural Resources

ROBERT L. MORGAN Executive Director

Division of Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER

GAYLE F. McKEACHNIE
Lieutenant Governor

October 4, 2004

Houston Exploration Company 1100 Louisiana, Suite 2000 Houston, TX 77002

Re:

Southman Canyon 8-30 Well, 1875' FNL, 818' FEL, SE NE, Sec. 30,

T. 9 South, R. 24 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35967.

Sincerely,

John R. Baza

Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office



Operator:	Houston Exploration Company							
Well Name & Number	Southm	an Canyon 8-30						
API Number:	43-047-	35967						
Lease:	UTU-80	0571						
Location: <u>SE NE</u>	Sec. 30	T. 9 South	R. 24 East					

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

SUBMIT IN TOUR COME ''NITED STATES (formerly 9-331c) SEP 17 304 DEPART INT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO **BUREAU OF LAND MANAGEMENT** BI M VERNAI UTU-80571 APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 6. IF INDIAN, ALLOTTEE OR TRIBE NAME 1a TYPE OF WORK DRILL **DEEPEN PLUG BACK** 7. UNIT AGREEMENT NAME B TYPE OF WELL na OII GAS 8. FARM OR LEASE NAME WELI WELL OTHER ZONE MULTIPLE ZONE na 2. NAME OF OPERATOR 9. WELL NO. The Houston Exploration Company Southman Canyon 8-30 3. ADDRESS OF OPERATORS 10. FIELD OR LEASE NAME 1100 Lousiana Suite 2000 Houston, TX 77002 Wildcat 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirement) 11. Sec., T., R., M., OR BLK at surface 1875' FNL & 818' FEL SENE AND SURVEY OR AREA At proposed prod. Zone Sec. 30, T9S, R24E 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OF 12. COUNTY OR PARISH 46.8 miles South of Vernal, UT Utah Uintah 15. DISTANCE FROM PROPOSED LOC. TO NEAREST PROP. 6. NO. OF ACRES IN LEASE NO OF ACRES ASSIGNED LINE, FT. (Also to nearest drlg. Unit line, if any) TO THIS WELL 480 40 16. DISTANCE FROM PROPOSED LOCATION 9. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING COMPLETED. OR APPLIED FOR, ON THIS LEASE, FT. 1.000' 8,300 Rotary 21. ELEVATION (SHOW WHETHER DF. RT. GR. etc.) 22. APPROX. DATE WORK WILL START 5401' GR Nov. 1, 2004 PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 8 5/8" 12 1/4' 36# 2000 779 sks 7 7/8" 4 1/2" 11.6# T.D. 600 sks The operator requests permission to drill the subject well. Please find the attached 10 point plan and 13 point plan. William A Ryan 350 S. 800 E Vernal, UT 84078 435-789-0968 IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give blowout preventer program, if any Agent Sept. 17, 2004 SIGNATURE TITLE DATE PERMIT NO APPROVAL DATE ASSISTANT FIETO WHATTAGE Mineral Resources RECEIVED AUG 1 1 2005 *See Instructions on Reverse Side Title 18 U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the DIV. OF OIL, GAS & MINING United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NOTICE OF APPROVAL 04PS 1875A

Form 3160-3

CONDITIONS OF APPROVAL ATTACHED

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator:	The Houston Exploration Co.
Well Name & Number:	Southman Canyon 8-30
API Number:	43-047-35967
Lease Number:	U-80571
Location:	SENE Sec. 30 T.9S R.24E
Agreement:	N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to John Mayers of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

Chart recorders shall be used for all pressure tests. Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

3. Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend 200' above the top of the base of usable water which has been identified at ± 3535 '.

4. Coring, Logging and Testing Program

A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing

<u>Please submit to this office, in LAS format, an electronic copy of all logs run on this well This submission will replace the requirement for submittal of paper logs to the BLM.</u>

5. Notifications of Operations

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

6. Other Information

All loading lines will be placed inside the berm surrounding the tank battery. All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Matt Baker

(435) 828-4470

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

Within 90 calendar days of the approval date for this Application for Permit to Drill (APD), the operator/lessee shall submit to the Authorized Officer (AO), on Sundry Notice Form 3160-5, an Interim Surface Reclamation Plan for surface disturbance on well pads, access roads, and pipelines. At a minimum, this will include the reshaping of the pad to the original contour to the extent possible; the respreading of the top soil up to the rig anchor points; and, the area reseeded using appropriate reclamation methods. The AO will provide written approval or concurrence within 30 calendar days of receipt.

S) OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Approximate data work will start: Effective 9/1/05 CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON		DIVISION OF OIL, GAS AND I	MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
1. TYPE OF WELL OIL WELL GAS WELL OTHER See Attached List See See Attached List See See Attached List See Attached List See See Attached List	SUNDR	Y NOTICES AND REPOR	TS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. INMED OF OFERATION: The Houston Exploration Company	unii nonzonia	I new wells, significantly deepen existing wells below I laterals. Use APPLICATION FOR PERMIT TO DRIF	current bottom-hole depth, reenter plugged wells, or to LL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
2. MANGE OF DEFENDER. The Houston Exploration Company NASAS 3. ADDRESS OF DEFENDER. The Houston Exploration Company NASAS 3. ADDRESS OF DEFENDER. TOTAL TOTAL DEFENDER. TOTAL SECTION, TOWNSHIP, RANGE, MERIDAN. TOTAL OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF SUBMISSION ADDRESS OF DEFENDER. TOTAL OF WILL TOTAL ACTION OF WELL TO CASING REPAR SUBMISSION SUBMISSION ADDRESS OF DEFENDER. SUBMISSION SUBMISSION ADDRESS OF DEFENDER. TELEFORATE, VARIANCE URBENT FORMATION SUBMISSION SUBMISSION ADDRESS OF MERIDA SERVICE TO SUBMISSION ADDRESS OF MERIDA SERVICE SE	1. TYPE OF WELL OIL WELI	GAS WELL 🗸 OTHER	R	I
3. ADDRESS OF DEPENDENT THOU COURSIANS, 186 2000 GITY HOUSTON 1. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List GTROTE, SECTION, TOWNSHIP, RANGE, MERIDAN: 1. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION VOITICE OF INTERTY (SUBMISSION) ADDRESS GENERAL DEPENDENT OR ADDRESS GENERAL DEPENDENT OR ADDRESS GENERAL DEPENDENT OR ADDRESS GENERAL DEPENDENT GUARNET DEP		Company N2525		
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List GTROTA SECTION, TOWNSHIP, RANGE, MERIDIAN: 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT (Skinni in Displaces) Appositioned date work will start: Effective 9/1/105 GHANGE TO PREVIOUS PLANS GHANGE TO PREVIOUS PLANS GHANGE TO PREVIOUS PLANS GHANGE TO PREVIOUS PLANS GHANGE WELL STATUS COMMING EMBNO PLUG AND ARANDON PLUG AND ARANDON PLUG AND ARANDON PLUG AND ARANDON PRODUCTION (STARTRESUME) MATER DISPOSAL WATER SHUT-OFF COMMING PRODUCTION (STARTRESUME) COMMING PRODU				10. FIELD AND POOL, OR WILDCAT:
TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	4. LOCATION OF WELL			соимту: Uintah
TYPE OF SUBMISSION NOTICE OF INTENT ACIDZE DEEPH REPERFORATE CURRENT FORMATION SUBMISSION ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL STEPPORT (SUBMISSION ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL SEFECTIVE ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL SEFECTIVE SIDETRACK TO REPAIR WELL SUBMISSION TEMPORABLY ABANDON TEMPORABLY ABANDON VENT OR FLARE SUBMISSION SUBSEQUENT REPORT GUARGE TUBING PLUG AND ABANDON VENT OR FLARE SUBMISSION SUBMISSION SUBSEQUENT REPORT GUARGE WELL NAME PLUG AND ABANDON WATER RIFLOFF SUBMISSION SUBMISSION SUBSEQUENT REPORT GUARGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF SUBMISSION	QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:		
NOTICE OF INTENT ACIDIZE DEEPEN REPERFORATE CURRENT FORMATION	11. CHECK APP	ROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	PRT, OR OTHER DATA
A.TER CASING FRACTURE TREAT SIDETRACK TO REPARK WILL	TYPE OF SUBMISSION		TYPE OF ACTION	
Approximate date work will start: Effective 2/1/05 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE 9/1/05 CHANGE TUBING PLUG AND ABANDON VENT OR FLARE PLUG AND ABANDON VENT OR FLARE WATER DISPOSAL WATER DISPOSAL CHANGE WELL NATE COMMINGLE PRODUCTION (STARTIRESUME) WATER DISPOSAL CHANGE WELL STATUS COMMINGLE PRODUCTION (STARTIRESUME) COMMINGLE PRODUCTION (STARTIRESUME) CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Enduring Resources, LLC 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102 Signature & Title Date 17 Vice President/General Manager Onshore Signature PLUB ARC WATER SHAUT-OFF WATER SHAUT-OFF OTHER: THE Vice President/General Manager Onshore 9/2/2005		ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
Effective 9/1/05 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE 9/1/05 TUBING REPAIR CHANGE TUBING PLUG AND ABANDON VENT OR PLANE		ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
G-HANGE TO PREVIOUS PLANS OF CHANGE 9/1/05 OF CHANGE TO PREVIOUS PLANS OF CHANGE 9/1/05 OF CHANGE WELL STUBING OF CHANGE WELL STARE OF PRODUCTION (START/RESUME) OTHER: OT		CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
SUBSEQUENT REPORT Substant Original Form Only)		CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE 9/1/05	TUBING REPAIR
CHANGE WELL STATUS		CHANGE TUBING		VENT OR FLARE
Date of work completion: CHANGE WELL STATUS		CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102 Signature & Title Date 9/19/05 NAME (PLEASE PRINT) Joanne Hresko TITLE Vice President/General Manager Onshore 9/2/2005 PRECEIVED In space for State use only) APPROVED 9 1291 3005	•	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	☐ WATER SHUT-OFF
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102 Signature & Title Date 9/19/05 ITILE Vice President/General Manager Onshore 9/2/2005	Date of work completion:	COMMINGLE PRODUCING FORMATIONS][
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Enduring Resources, LLC Operator #N 2750 Utah State Bond #RLB0008031 475 17th Street, Ste 1500 Denver, CO 80202 Contact: Frank Hutto 303-350-5102 Signature & Title Date 9/19/05 NAME (PLEASE PRINT) JOanne Hresko SIGNATURE DATE 9/2/2005 RECEIVED	-	1=		
SIGNATURE PARME PURE PARME 9/2/2005 RECEIVED	475 17th Street, Ste 1500 Denver, CO 80202	03-350-5102 Signatu	French Zhuth	VP. 015
SEP 2 6 2005	SIGNATURE RAM	ne Auko	DATE 9/2/2005	RECEIVED
	\mathcal{C}			SEP 2 6 2005

Carlene Russell, Engineering Technician ctions on Reverse Side) (5/2000)

DIV. OF OIL, GAS & MINING

TRANSFER OF OPERATOR

NATURAL BUTTES FIELD, UINTAH COUNTY, UTAH DRILLED WELLS, TO BE OPERATED BY ENDURING RESOURCES, LLC

API Well Numbe	r Well Name	Well Status	Qtr/Qtr	Section	Township-Range	FNL/FSL	FEL/FWL	Latitude	Longitude
43047355550000	Bonanza #10D-18	SI	NWSE	18	9S-24E	1437 S	1800 E	40.03340	-109.25282
43047355510000	Bonanza #12D-12	Producing	NWSW	12	9S-23E	1556 S	867 W	40.04788	-109.28055
43047356930000	Bonanza #2D-27	Producing	NWNE	27	9S-24E	1064 N	1824 E	40.01123	-109.19600
43047359080000	Bonanza 10-11	Producing	NWSE	11	9S-23E	1991 S	1755 E	40.04866	-109.29035
43047356920000	Bonanza 10D-8	SI	NWSE	8	9S-24E	1510 S	1768 E	40.04789	-109.23383
43047355520000	Bonanza 1-11	Producing	NWNW	11	9S-23E	990 N	990 E	40.05431	-109.29891
43047359290000	Bonanza 12-20	Drlg	NWSW	20	9S-25E	1998 S	825 W	40.01947	-109.13150
43047-359210000		Producing	NWSW	18	9S-24E	2067 S	813 W	40.03430	-109.26242
43047359090000	Bonanza 14-12	Evaluating	SESW	12	9S-23E	505 S	2001 W	40.04455	-109.27693
43047359940000	Bonanza 4-18	WOPL	NWNW	18	9S-24E	706 N	682 W	40.04119	-109.26288
43047-356220000) Bonanza 4D-16	Producing	NWNW	16	9S-24E	1152 N	1209 W	40.04000	-109.22349
43047358600000	Bonanza 6-36	Producing	SENW	36	9S-24E	2217 N	2009 W	39.99336	-109.16393
43047359120000	Bonanza 6B-8	Producing	SENW	8	9S-24E	2017 N	1878 W	40.05213	-109.24004
43047359200000	Bonanza 8D-7	Producing	SENE	7	9S-24E	1992 N	477 E	40.05220	-109.24845
43047359050000	Buck Canyon 15-24	P&A	SW/SE	24	12S-21E	700 S	2139 E	39.75386	-109.5134
43047348150000	Cartwright 2-35	TA	NWNE	35	9S-24E	858 N	2104 E	39.99733	-109.17882
43047332510000	East Bench 11-16	WOC	NESW	16	11S-22E	S S	1980 W	39.85889	-109.46172
43047347560000	Hoss 15	Producing	SWSE	20	9S-25E	1291 S	2088 E	40.01767	-109.12236
43047348140000	Little Joe 11-7	TA	NENE	7	9S-25E	710 N	644 E	40.05562	-109.13601
43047361500000	Rainbow 14-17	WOC	SESW	17	11S-24E	780 S	1726 W	39.85689	-109.25731
43047361840000	Rainbow 2-16	WOC	NWNE	16	11S-24E	837 N	2136 E	39.86708	-109.23348
43047353630000	Southman Canyon 10D-36	Producing	NWSE	36	9S-23E	1757 S	1650 E	39.98991	-109.27148
43047353640000	Southman Canyon 12D-36	Producing	NWSW	36	9S-23E	1518 S	1069 W	39.98977	-109.28040
43047357700000	Southman Canyon 14C-36	Producing	SESW	36	9S-23E	648 S	1717 W	39.98689	-109.27716
43047357720000	Southman Canyon 16C-36	Producing	SESE	36	9S-23E	542 S	736 E	39.98607	-109.26912
43047356910000	Southman Canyon 2D-30	Producing	NWNE	30	9S-24E	1171 N	1502 E	40.01111	-109.25269
43047353650000	Southman Canyon 2D-36	Producing	NWNE	36	9S-23E	960 N	1751 E	39.99711	-109.27228
43047353610000	Southman Canyon 4D-36	Producing	NWNW	36	9S-23E	1163 N	1137 W	39.99623	-109.28012
43047353620000	Southman Canyon 6D-36	Producing	SENW	36	9S-23E	2466 N	2271 W	39.99336	-109.27635
43047357710000	Southman Canyon 8C-36	Producing	SENE	36	9S-23E	2185 N	694 E	39.99358	-109.26783
43047355590000	Thurston Federal #12-1	Producing	SESW	12	12S-21E	692 S	1959 W	39.78280	-109.51768

TRANSFER OF OPERATOF BLM APPROVED WELLS #1

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	т	R	Lease Number	Footages f/ Sec Lines - SL	API Number].
Asphalt Wash 19-7	- SW/SW-	7	113	24E	-UTU-73919	739' F9L & 029' FWL	43-047-36234]/
Bonanza 16-18	SE/SE	18	98	24E	UTU-73457	861' FSL & 715' FEL	43-047-35992]
Bonanza 4-11	NW/NW	11	98	23E	UTU-74426	671' FNL & 729' FWL	43-047-35968]
Bonanza 10D-12	NW/SE	12	98	23E	UTU-74426	1,785' FSL & 1,855' FEL	43-047-35919]
Bonanza 12-11	NW/SW	11	98	23E	UTU-74426	1748' FSL & 420' FWL	43-047-35916]
Bonanza 14-18	SE/SW	18	98	24E	UTU-73457	472' FSL & 2,010' FWL	43-047-35993]
Bonanza 14A-8	SE/SW	8	98	24E	UTU-73457	907' FSL & 2,298' FWL	43-047-35952]
Bonanza 16A-27 o	SE/SE	27	98	24E	UTU-80571	862' FSL & 581' FEL	ø 43-047-35923	1
Bonanza 2-21	NW/NE	21	88	25E	UTU-73470	1,207' FNL & 1,541' FEL	43-047-35926	1
Bonanza 3-8	NW/NW	8	98	24E	UTU-73457	573' FNL & 1,518' FWL	43-047-35966	1
Bonanza 6D-7	SE NW	7	98	24E	UTU-73457	2,310' FNL & 2,310' FWL	43-047-35690	1
Bonanza 8-11	SE/NE	11	98	23E	UTU-74426	2,163 FNL & 615' FEL	43-047-35907	1
Bonanza 8B-27	SE/NE	27	98	24E	UTU-80571	1,830' FNL & 735' FEL	43-047-35923	1
Buck Camp 4-25	NW/NW	25	115	22E	UTU-74424	804 FNL & 695 FWL	43-047-36276	1
Buck Camp 4-26	NW/NW	26	115	22E	UTU-74974	660' FNL & 660' FWL	43-047-36274	1
Buck Canyon 1-24	NE/NE	24	128	21E	UTU-73440	488' FNL & 833' FEL	43-047-35606	1
Buck Canyon 15-24	-SW/SE	24	126	21E	UTU 73440	700' FSL & 2,139' FEL	- 43-047-35905 -	1_
Buck Canyon 7-24	SW/NE	-24	123	21E	UTU-73440	2,041' FNL & 2,171' FEL	43-047-35904	₩
Buck Canyon 9-24	NE/SE	24	12S	21E	UTU-73440	1784' FSL & 855' FEL	43-047-35903	-
Rainbow 1-17	NE/NE	17	115	24E	UTU-73920	795' FNL & 586' FEL	43-047-36151	T
Southman Canyon #14-30	SE/SW	30	98	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914	1
Southman Canyon #4C-30	NW/NW	30	98	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913	1
Southman Canyon 12-30	NW/SW	30	98	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104	1
Southman Canyon 8-30	SE/NE	30	98	24E	UTU-80571	1,875' FNL & 818' FEL	43-047-35994]
Southman Canyon 9-30	NE/SE	30	95	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019	1

* 43047-35906 • 43047-35953

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PENDING #3

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

				.		E (Wall
L.,	0.0		_ ا		Lease	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Well Name	Q/Q	Sec	T	R	Number				
Asphalt Wash 11-16-11-24	NESW	16	115	24E	ML-73921	2000 FSL & 1900 FWL	43-047-37088	Undesignated	Gas
Asphalt Wash 12-16-11-24	NWSW	16	118	24E	ML-47080	2060 FSL & 839 FWL	43-047-36873	Undesignated	Gas
Asphalt Wash 14-16-11-24	SESW	16	115	24E	ML-47080	537 FSL & 2140 FWL	43-047-36876	Undesignated	Gas
Asphalt Wash 3-16-11-24	NENW	16	115	24E	ML-47080	825 FNL & 2116 FWL	43-047-36886	Undesignated	Gas Gas
Asphalt Wash 4-16-11-24	NWNW	16	115	24E		521 FNL & 766 FWL	43-047-36885	Undesignated	Gas
Asphalt Wash 5-16-11-24	SWNW	16	115	24E	ML-47080	1880 FNL & 630 FWL	43-047-37089	Undesignated	
Asphalt Wash 7-16-11-24	SWNE	16	115	24E	ML-47080	1781 FNL & 1676 FEL	43-047-36874	Undesignated	Gas Gas
Asphalt Wash 8-16-11-24	SENE	16	115	24E	ML-47080	1905 FNL & 642 FEL	43-047-36875	Undesignated Charite Walls	Gas
Bonanza 14-20	SESW	20	98	25E	ML-45558	838' FSL & 1,922' FWL	43-047-35930	Chapita Wells	
Bonanza 4-20	NWNW	20	98	25E	ML-45558	933' FNL & 583 FWL	43-047-35924	Chapita Wells	Gas
Bonanza 4-29	NWNW	29	98	25E	ML-45559	600' FNL & 596' FWL	43-047-36010	Chapita Wells	Gas
Bonanza 4-36	NWNW	36	98	24E	ML-46527	258' FNL & 862' FWL	43-047-35861	Natural Buttes	Gas
Bonanza 6-20	SENW	20	98	25E	ML-45558	2,178' FNL & 1,839' FWL	43-047-35928	Chapita Wells	Gas
Buek-Canyon 9-16-12-21	NESE	16_	12S	21F	ML-47085	1980' FSL & 660' FEL	43-047-37091	Buck Canyon	Gas
Buck Canyon 11-16-12-21	NESW	16	128	21W		NA	43-047-37119	Undesignated	Gas
Buck Canyon 13-16-21-21	SWSW	16	215	21W	ML-47085	NA .	43-047-37118	Undesignated	Gas
Buck Canyon 15-16-12-21	SWSE	16	125	21W	ML-47085	NA	43-047-37120	Buck Canyon	Gas
East Bench 1-16	NENE	16	115	22E	ML-46911	660' FNL & 660' FEL	43-047-36126	Undesignated	Gas Gas
East Bench 15-16	SWSE	16	118	22E	ML-46911	545' FSL & 1,848' FEL	43-047-36128	Undesignated	
East Bench 3-16	NENW	16	118	22E	ML-46911	832' FNL & 1,978' FWL	43-047-36125	Undesignated	Gas
East Bench 7-16	SWNE	16	115	22E	ML-46911	1,909' FNL & 1,643' FEL	43-047-36127	Undesignated	Gas
East Bench 12-16-11-22	NWSW	16	115	22E	ML-46911	1862 FSL & 838 FEL	43-047-37128	Undesignated	Gas
East Bench 13-16-11-22	swsw	16	115	22E	ML-46911	880 FSL & 750 FWL	43-047-37130	Undesignated	Gas
East Bench 14-16-11-22	SESW	16	115	22E	ML-46911	848 FSL & 1930 FWL	43-047-37122	Undesignated	Gas
East Bench 16-16-11-22	SESE	16	115	22E	ML-46911	663 FSL & 1055 FEL	43-047-37121	Undesignated	Gas
East Bench 2-16-11-22	NWNE	16	115	22E	ML-46911	705 FNL & 2077 FEL	43-047-37125	Undesignated	Gas
East Bench 4-16-11-22	NWNW	16	115	22E	ML-46911	760 FNL & 860 FWL	43-047-37126	Undesignated	Gas
East Bench 5-16-11-22	SWNW	16	115	22E	ML-46911	1980 FNL & 758 FWL	43-047-37129	Undesignated	Gas
East Bench 6-16-11-22	SENW	16	115	22E	ML-46911	1887 FNL & 2138 FWL	43-047-37124	Undesignated	Gas
East Bench 8-16-11-22	SENE	16	115	22E	ML-46911	1880 FNL & 780 FEL	43-047-37127	Undesignated	Gas
East Bench 9-16-11-22	NESE	16	115	22E	ML-46911	2035 FSL & 1422 FEL	43-047-37123	Undesignated	Gas
Gusher 6-2	SENW	2	-65	19E	ML-49144	1550 FNL 1025 FWL	43-047-36963	Moffit Canal	Oil
Hanging Rock 1-32	NENE	32	115	23E	ML-47079	542' FNL & 690' FEL	43-047-36309	Undesignated	Gas
Little Pack Mountain 1-16	NWNW	16	128	20E	ML-47082	609 FNL & 688 FEL	43-047-36981	Wildcat	Gas
Little Pack Mountain 7-32	SWNE	32	128	20E	ML-47083	1792 FNL & 1797 FEL	43-047-36980	Wildcat	Gas
Rock House 12-36-10-23	NWSW	36	108	23E	ML-47907	1844 FSL & 755 FWL	43-047-36534	Natural Buttes	Gas
Rock House 13-32-10-23	swsw	32	105	23E	ML-47063	564 FSL & 471 FWL	43-047-36411	Natural Buttes	Gas
Rock House 1-36-10-22	NENE	36	108			620 FNL & 850 FEL	43-047-36408	Natural Buttes	Gas
Rock House 3-36-10-22	NENW	36	108		ML-47061	934 FNL & 1783 FWL	43-047-36407	Natural Buttes	Gas
Rock House 4-32-10-23	SWNW	32	105	23E	ML-47063	1406 FNL & 562 FWL	43-047-36412	Natural Buttes	Gas
Rock House 7-36-10-22	SWNE	36	105	22E	ML-47061	2209 FNL & 2445 FEL	43-047-36409	Natural Buttes	Gas
Rock House 9-32-10-23	NESE	32	108		ML-47063		43-047-36337	Natural Buttos	Gas
Rockhouse #13-36	SWSW	36	108	22E	ML-46907	486 FSL & 844' FWL	43-047-35902	Natural Buttes	Gas
Rockhouse 16-2	SESE	2	115	23E	ML-47078		43-047-36152	Rockhouse	Gas
Seep Springs 10-13-12-24	NWSE	13	12S	24E	ML-49275	1950 FSL & 1802 FEL	43-047-36634	Undesignated	Gas
Seep Springs 1-13-12-24	NENE	13	128	24E		753 FNL & 487 FEL	43-047-36628	Undesignated	Gas
Seep Springs 15-11-12-24	SWSE	11	128			829 FSL & 2178 FEL	43-047-36626	Undesignated	Gas
Seep Springs 15-13-12-24	SWSE	13	125	24E	ML-49275	622 FSL & 1806 FEL	43-047-36630	Undesignated	Gas
Seep Springs 16-11-12-24	SESE	11	125	24E	ML-49274	659 FSL & 466 FEL	43-047-36625	Undesignated	Gas
Seep Springs 16-13-12-24	SESE	13	12\$	24E	ML 49275	686 FSL & 640 FEL	43-047-36629	Undesignated	Gas
Seep Springs 2-13-12-24	NWNE	13	128	24E	ML-49275	465 FNL & 1807 FEL	43-047-36627	Undesignated	Gas
Seep Springs 7-13-12-24	SWNE	13	128	24E	ML-49275		43-047-36631	Undesignated	Gas
Seep Springs 8-13-12-24	SENE	13	12S	24E	ML-49275	1969 FNL & 642 FEL	43-047-36632	Undesignated	Gas
Seep Springs 9-13-12-24	NESE	13	128	24E	ML-49275	663 FSL & 1960 FEL	43-047-36633	Undesignated	Gas
Southman Canyon 11-36-9-23	NESW	36	98	23E		1965 FSL & 1953 FWL	43-047-36535	Natural Buttes	Gas
Southman Canyon 13-36-9-23	SWSW	36	20	235	ML 47782	467 FSL & 923 FWL	43-047-36532	Natural Buttes	Cas

TRANSFER OF OPERATOR STATE OF UTAH APPROVED AND PENDING

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	T	R	Lease Number	Footages f/ Sec Lines - SL	API Number	FIELD	Well Type
Southman Canyon 1-36-9-23	NENE	36	98	23E	ML-47782	681 FNL & 496 FEL	43-047-36537	Natural Buttes	Gas
Southman Canyon 15-36-9-23	SWSE	36	98	23E	ML-47782	529 FSL & 1784 FEL	43-047-36529	Natural Buttes	Gas
Southman Canyon 3-36-9-23	NENW	36	98	23E	ML-47782	464 FNL & 1815 FWL	43-047-36530	Natural Buttes	Gas
Southman Canyon 5-36-9-23	SWNW	36	98	23E	ML-47782	2028 FNL & 499 FWL	43-047-36531	Natural Buttes	Gas
Southman Canyon 7-36-9-23	SENE	36	98	23E	ML-47782	2184 FNL & 1994 FEL	43-047-36536	Natural Buttes	Gas
Southman Canyon 9-36-9-23	NESE	36	98	23E	ML-47782	1978 FNL & 657 FEL	43-047-36533	Natural Buttes	Gas

__RANSFER OF OPERATO __ BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

	1	T				E 4 (10 11	
			_	_	Lease	Footages f/ Sec Lines -	A DI Alumbar
Well Name	Q/Q	Sec	T	R	Number	SL	API Number
Asphalt Wash 13-6	-sw/sw	6	116	24E	-UTU-73919	400' FSL & 550' FWL	
Asphalt Wash 10-9-11-24	NW SE	9	115	24E	UTU-73920	1846 FSL & 1942 FEL	43-047-37071
Asphalt Wash 11-9-11-24	NE SW	9	118	24E	UTU-73920	1799 FSL & 1782 FWL	43-047-37073
Asphalt Wash 12-6-11-24	NW SW	6	115	24E	UTU-73919	1844 FSL & 683 FWL	43-047-37066
Asphalt Wash 14-6-11-24	SE SW	6	118	24E	UTU-73919	704 FSL & 2123 FWL	43-047-37067
Asphalt Wash 14-9-11-24	SE SW	9	115	24E	UTU-73920	460 FSL & 2115 FWL	43-047-37076
Asphalt Wash 15-9-11-24	SW SE	9	118	24E	UTU-73920	804 FSL & 1990 FEL	43-047-37074
Asphalt Wash 16-9-11-24	SE SE	9	115	24E	UTU-73920	826 FSL & 472 FEL	43-047-37075
Asphalt Wash 2-6-11-24	NW NE	6	115	24E	UTU-73919	735 FNL & 1590 FEL	43-047-37061
Asphalt Wash 2-7-11-24	NW NE	7	115	24E	UTU-73919	621 FNL & 2462 FEL	43-047-37068
Asphalt Wash 2-9-11-24	NW NE	9	118	24E	UTU-73920	829 FNL & 1774 FEL	43-047-37070
Asphalt Wash 3-6-11-24	NE NW	6	118	24E	UTU-73919	792 FNL & 1925 FWL	43-047-37062
Asphalt Wash 4-6-11-24	NW NW	6	118	24E	UTU-73919	820 FNL & 1007 FWL	43-047-37063
Asphalt Wash 5-6-11-24	SW NW	6	115	24E	UTU-73919	1738 FNL & 716 FWL	43-047-37064
Asphalt Wash 6-7-11-24	SE NW	7	11S	24E	UTU-73919	2013 FNL & 2241 FWL	43-047-37069
Asphalt Wash 7-6-11-24	SW NE	6	118	24E	UTU-73919	1616 FNL & 1615 FEL	43-047-37065
Asphalt Wash 7-9-11-24	SE NE	9	118	24E	UTU-73920	1883 FNL & 1854 FEL	43-047-37072
Asphalt Wash 1-7-11-24	NE NE	7	118	24E	UTU-73919	426 FNL & 270 FEL	43-047-37084
Asphalt Wash 4-7-11-24	NW NW	7	118	24E	UTU-73919	856 FNL & 860 FWL	43-047-37085
Asphalt Wash 7-7-11-24	SW NE	7	118	24E	UTU-73919	1909 FNL & 1893 FEL	43-047-37087
Asphalt Wash 8-7-11-24	SE NE	7	118	24E	UTU-73919	1998 FNL & 683 FEL	43-047-37086
Bonanza 4-7	NW/NW	7	98	24E	UTU-73457	809' FNL & 670' FWL	43-047-36017
Bonanza 8-17	SW/NE	17	98	24E	UTU-73457	1865' FNL & 584' FEL	43-047-36041
Bonanza 11-11-9-23	NE SW	11	98	23E	UTU-74426	2036 FSL & 2043 FWL	43-047-36649
Bonanza 11-12-9-23	NE SW	12	98	23E	UTU-74426	1799 FSL & 1948 FWL	43-047-36655
Bonanza 11-18-9-24	NE SW	18	98	24E	UTU-73457	1785 FSL & 2133 FWL	43-047-36637
Bonanza 12-23-9-24	NW/SW	23	98	24E	UTU-81311	1882 FSL & 699 FWL	43-047-36640
Bonanza 12-35	NW/SW	35	98	24E	UTU 73459	1374' FSL & 858' FWL	43-047-36020
Bonanza 13-11-9-23	SW SW	11	98	23E	UTU-74426	463 FSL & 773 FWL	43-047-36650
Bonanza 13-12-9-23	SW SW	12	98	23E	UTU-74426	661 FSL & 656 FWL	43-047-36528
Bonanza 13-18-9-24	SW SW	18	98	24E	UTU-73457	767 FSL & 583 FWL	43-047-36638
Bonanza 14-11-9-23	SE SW	11	98	23E	UTU-74426	756 FSL & 1859 FWL	43-047-36651
Bonanza 14-23-9-24	SE/SW	23	98	24E	UTU-81311	560 FSL & 1878 FWL	43-047-36641
Bonanza 15-11-9-23	SW SE	11	98	23E	UTU-74426	660 FSL & 1980 FEL	43-047-36652
Bonanza 15-12-9-23	SW SE	12	98	23E	UTU-74426	607 FSL & 1920 FEL	43-047-36656
Bonanza 15-18-9-24	SW SE	18	98	24E'	UTU-73457	463 FSL & 2162 FEL	43-047-36639
Bonanza 16-12-9-23	SE SE	12	98	23E	UTU-74426	855 FSL & 536 FEL	43-047-36657
Bonanza 16-8	SE/SE	8	98	24E	UTU-73457	588' FSL & 524' FEL	43-047-36101
Bonanza 2-11-9-23	NW NE	11	98	23E		664 FNL & 1925 FEL	43-047-36643
Bonanza 2-12-9-23	NW NE	12	98	23E		743 FNL & 1962 FEL	43-047-36527
Bonanza 3-11-9-23	NE NW	11	98	23E	UTU 74426	499 FNL & 1898 FWL	43-047-36644
Bonanza 3-12-9-23	NE NW	12	98	23E		734 FNL & 1866 FWL	43-047-36524
Bonanza 4-35	NW/NW	35	98	24E		789' FNL & 807' FWL	43-047-35925
Bonanza 5-11-9-23	SW NW	11	98	23E		1794 FNL & 609 FWL	43-047-36645
	1						0/20/2005

P:\Operations\Drilling\Uinta 9/20/2005

RANSFER OF OPERATO BLM PENDING WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

					Lease	Footages f/ Sec Lines -	
Well Name	Q/Q	Sec	T	R	Number	SL	API Number
Bonanza 5-12-9-23	SW NW	12	98	23E	UTU-74426	1996 FNL & 558 FWL	43-047-36526
Bonanza 5-18-9-24	SW NW	18	98	24E	UTU-73457	2147 FNL & 662 FWL	43-047-36635
Bonanza 5-22	SW/NW	22	88	25E	UTU-73470	1,932' FNL & 415' FWL	43-047-35918
Bonanza 5-24-9-24	SW/NW	24	98	24E	UTU-73458	2167 FNL & 714 FWL	43-047-36642
Bonanza 6-11-9-23	SE NW	11	98	23E	UTU-74426	2069 FNL & 1801 FWL	43-047-36646
Bonanza 6-12-9-23	SE NW	12	98	23E	UTU-74426	2114 FNL & 1871 FWL	43-047-36525
Bonanza 7-11-9-23	SW NE	11	98	23E	UTU-74426	2060 FNL & 2134 FEL	43-047-36647
Bonanza 7-12-9-23	SW NE	12	98	23E		2065 FNL & 2159 FEL	43-047-36653
Bonanza 8-35	SENE	35	98	24E	UTU-73459	1987' FNL & 909' FEL	43-047-36105
Bonanza 9-11-9-23	NE SE	11	98	23E		2008 FSL & 553 FEL	43-047-36648
Bonanza 9-12-9-23	NE SE	12	98	23E		1980 FSL & 660 FEL	43-047-36654
Bonanza 9-18-9-24	NE SE	18	98	24E	UTU-73457	2009 FSL & 852 FEL	43-047-36636
Bonanza 9-22	NE/SE	22	98	24E	UTU-75118	1,969' FSL & 495' FEL	43-047-36102
East Bench 9-20	NE/SE	20	11S	22E	UTU-73905	2,170' FSL & 472' FEL	43-047-36275
Rock House 12-30-10-23	NE SW	30	108	23E	UTU-76281	2320 FSL & 1980 FWL	43-047-36548
Rock House 12-31-10-23	NW SW	31	108	23E	UTU-76281	1900 FSL & 460 FWL	43-047-36552
Rock House 13-30-10-23	SW SW	30	10S	23E	UTU-76281	553 FSL & 573 FWL	43-047-36549
Rock House 14-31-10-23	SE SW	31	105	23E	UTU-76281	860 FSL & 1890 FWL	43-047-36553
Rock House 3-31-10-23	NE NW	31	10S	23E		854 FNL & 1940 FWL	43-047-36551
Rock House 5-30-10-23	SW NW	30	105	23E	UTU-76281	1858 FNL & 703 FWL	43-047-36547
Rock House 5-31-10-23	SW NW	31	108	23E		2055 FNL & 2097 FWL	43-047-36550
Rock House 6-31-10-23	SE NW	31	10\$	23E	UTU-76281	2059 FNL & 2111 FWL	43-047-36554
Reckhouse #12-30	NW/SW-	30	106	23E	UTU-80571	1,980' FSL & 660' FWL	43-047-36018 ×
Rockhouse 13C-31	SW/SW	31	108	23E	UTU-76281	135' FSL & 365' FWL	43-047-35911
Rockhouse 4D-30	NW NW	30	108	23E		1,116 FNL & 1,135' FWL	43-047-35882
Rockhouse 4D-31	NW NW	31	10S	23E		990' FNL & 990' FWL	43-047-35807
Southman Canyon 12-3-11-24	NW/SW	3	115	24E		1,950' FSL & 514' FWL	43-047-36272
Southman Canyon 12-30-10-24	NW/SW	30	10\$	24E		2,118' FSL & 502' FWL	43-047-36238
Southman Canyon 13-30	SW/SW	30	98	24E		765' FSL & 303' FWL	43-047-36018
Southman Canyon 16-31-10-24	SE/SE	31	108	24E		621' FSL & 575' FEL	43-047-36270
Southman Canyon 4-30-10-24	NW/NW	30	108	24E	UTU 65371	649' FNL & 607' FWL	43-047-36237
Southman Canyon 5-19-10-24	SW/NW	19	108	24E	UTU-65371	1,978' FNL & 855' FWL	43-047-36236
Southman Canyon 6-30	SE/NW	30	98	24E	UTU-80571	2,015' FNL & 2,581' FWL	43-047-36103

x Duplicate API -Different well name

OPERATOR CHANGE WORKSHEET

R	OUTING
1	. DJJ
12	CDW

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed belo	w has changed,	effectiv	/e:			9/1/2005			
FROM: (Old Operator):				TO: (New C	perator):				7
N2525-The Houston Exploration Compa	any			N2750-Endur		s, LLC			I
1100 Louisiana, Suite 2000	•				th Street, Su				1
Houston, TX 77002					r, CO 80202				
Phone: 1-(713) 830-6938				Phone: 1-(303	·				ł
	CA No.			Unit:	, 555 5102				7
WELL(S)								-	7
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	1
BONANZA 2-21	21	080S	250E	4304735926	110	Federal	GW	APD	C
BONANZA 4-11	11			4304735968		Federal	GW	APD	干
BONANZA 8D-7	07	090S		4304735920	14476	Federal	GW	P	c
BONANZA 4-7	07	090S		4304736017		Federal	GW	APD	╁
BONANZA 14A-8	08	090S		4304735952	·	Federal	GW	APD	十
BONANZA 3-8		090S		4304735966		Federal	GW	APD	十
BONANZA 16-8	08	090S		4304736101		Federal	GW	APD	十
BONANZA 8-17	17	090S		4304736041	1	Federal	GW	APD	十
BONANZA 12A-18	18	090S		4304735921	14477	Federal	GW	P	C
BONANZA 16-18	18	090S		4304735992		Federal	GW	APD	干
BONANZA 14-18	18	090S		4304735993	1	Federal	GW	APD	_
BONANZA 4-18		090S		4304735994	14641	Federal	GW	DRL	c
BONANZA 9-22		090S		4304736102		Federal	GW	APD	Ť
BONANZA 8B-27		090S		4304735923	14576	Federal	GW	DRL	十
BONANZA 16A-27	27	090S	240E	4304735953		Federal	GW	APD	十
SOUTHMAN CYN 8-30	30	090S	240E	4304735967		Federal	GW	APD	1
SOUTHMAN CYN 13-30	30	090S	240E	4304736018	1	Federal	GW	APD	十
SOUTHMAN CYN 9-30	30	090S	240E	4304736019		Federal	GW	APD	\top
SOUTHMAN CYN 6-30	30	090S	240E	4304736103		Federal	GW	APD	\top
SOUTHMAN CYN 12-30	30	090S	240E	4304736104	Ī	Federal	GW	APD	\top
RAINBOW 14-17	17	110S	240E	4304736150	14855	Federal	GW	DRL	\top
RAINBOW 1-17	17	110S	240E	4304736151		Federal	GW	APD	\Box
OPERATOR CHANGES DOCUENTER date after each listed item is continued in the continued of the continued in the	npleted entation was rece	ived fr				9/26/200			
3. The new company was checked on the	he Department (of Con	nmerce	, Division of C	orporations	Database	on:	9/29/2005	;
1. Is the new operator registered in the				Business Num	_	771233-01			-
5. If NO, the operator was contacted co		•					_ •		
6a. (R649-9-2)Waste Management Plan l	has been receive	d on-			Requested	9/29/05			
-			i		- Acquesicu	ノレムクレゼン			
5b. Inspections of LA PA state/fee well s	sites complete of	1:		n/a					

7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases		oved the i	merger, na	me chang	ge, n/a
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for	or wells listed on	:		_not yet	
9. Federal and Indian Communization Agreements (' The BLM or BIA has approved the operator for all wells listed with the state of the s	•		n/a	_	
10. Underground Injection Control ("UIC") The Dinject, for the enhanced/secondary recovery unit/project for the w	vater disposal we			nsfer of A	uthority to
DATA ENTRY:					
1. Changes entered in the Oil and Gas Database on:	9/29/2005	•			
2. Changes have been entered on the Monthly Operator Change Sp	pread Sheet on:		9/29/2005	-	
3. Bond information entered in RBDMS on:	9/30/2005	•			
4. Fee/State wells attached to bond in RBDMS on:	9/30/2005	•			
5. Injection Projects to new operator in RBDMS on:	n/a				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		9/26/2005	5		
FEDERAL WELL(S) BOND VERIFICATION:		· · · · · · · · · · · · · · · · · · ·			
Federal well(s) covered by Bond Number:	UTB000173	•			
INDIAN WELL(S) BOND VERIFICATION:					
Indian well(s) covered by Bond Number:	n/a	•			
FEE & STATE WELL(S) BOND VERIFICATION:					i
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	y Bond Number		RLB000803	1 -	
The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:	n/a	_		
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been con of their responsibility to notify all interest owners of this change on		ned by a le n/a	tter from the	Division	
COMMENTS:					
			 		

9/29/2005

6c. Reports current for Production/Disposition & Sundries on:

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES	
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT of CA AGREEMENT NAME: N/A
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Southman Canyon #8-30
2. NAME OF OPERATOR:	9. API NUMBER:
Enduring Resources, LLC	4304735967
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Wildcat
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: 1,875' FNL - 818' FEL	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENW 30 9S 24E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: Request for APD
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	Extension
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	
Enduring Resources, LLC respectfully request an extension to the Application for Permit to	Drill for this well.
Enduring resources, LLC acquired this well from the Houston Exploration Company, the BL 2005, and Enduring resources, LLC has not been able to place the well in the drilling sched	M APD was not granted until Jul-21- ule yet.
THE CHANGE OF OPERATOR FROM THE HOUSTON EXPLORATION COMPANY TO EXPENDING.	NDURING RESOURCES, LLC IS
Utah Division o Oil, Gas and Mini Utah State Bond #RLB0008031	1
Operator No. N2750 Date: 10 - 05 Date: 10 - 05 Date: 10 - 05	
NAME (PLEASE PRINT) Alvin R. (Al) Arlian TITLE Landman - Regu	latory Specialist
SIGNATURE 9/28/2005	

(This space for State use only)

RECEIVED OCT 2 6 2005

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:	4304735967			
Well Name: Location:				
	rmit Issued to:			
Date Original	l Permit Issued:			
above, hereby	ned as owner with legal y verifies that the informatication to drill, remains	ation as submitte	ed in the previously	itted
Following is a verified.	checklist of some items	related to the a	pplication, which sho	ould be
	orivate land, has the owr een updated? Yes⊡No[, if so, has the surfac	ce
	ls been drilled in the vici r siting requirements for			d affect
	en any unit or other agre operation of this propose			the
	een any changes to the a could affect the propos			right-
Has the appro	oved source of water for	drilling changed	!? Yes□No☑	
Have there be which will requevaluation? Ye	een any physical change uire a change in plans fr es□No☑	es to the surface rom what was di	location or access re scussed at the onsite	oute e
Is bonding still	ll in place, which covers	this proposed w	ell? Yes⊠No□	
	3Mel	•	9/29/2005	
Signature		_	Date	
Title: Landman	n - Regulatory Specialist	-		
Representing:	Enduring Resources, LLC			RECEIVED
				OCT 2 6 2005

TRANSFER OF OPERATOR — BLM APPROVED/DRILLED WELLS

PREVIOUS OPERATOR: Houston Exploration Company

NEW OPERATOR: Enduring Resources, LLC EFFECTIVE DATE: September 1st, 2005

Well Name	Q/Q	Sec	Т	R	Lease Number	Footages # Sec Lines - SL	API Number	Status
Bonanza 16A-27	SE/SE	27	98	24E	UTU-80571	862' FSL & 581' FEL	43-047-35923	Apprvd
Bonanza 2D-27	NW NE	27	98	24E	UTU-80571	1,064' FNL & 1,824' FEL	43-047-35693	Drilled
Bonanza 8B-27	SE/NE	27	98	24E	UTU-80571	1,830' FNL & 735' FEL	43-047-35923	Apprvd
Southman Canyon #14-30	SE/SW	30	98	24E	UTU-80571	740' FSL & 1,737' FWL	43-047-35914	Apprvd
Southman Canyon #4C-30	NW/NW	30	98	24E	UTU-80571	676' FNL & 568' FWL	43-047-35913	Apprvd
Southman Canyon 12-30	NW/SW	30	9\$	24E	UTU-80571	1,912' FSL & 513' FWL	43-047-36104	Apprvd
Southman Canyon 2D-30	NW NE	30	98	24E	UTU-80571	1,171' FNL & 1,502' FEL	43-047-35691	Drilled
Southman Canyon 8-30	SE/NE	30	98	24E	UTU-80571	1,875' FNL & 818' FEL 🌘	43-047-35004	Apprvd
Southman Canyon 9-30	NE/SE	30	95	24E	UTU-80571	2,089' FSL & 831' FEL	43-047-36019	Apprvd

43-047-35967

RECEIVED NOV 0 2 2005

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/utah/vernal

IN REPLY REFER TO: 3162.3 UT08300



October 28, 2005

Al Arlian Enduring Resources, LLC 475 17th Street, Suite 1500 Denver, Colorado 80202

Re: Change of Operator

The Houston Expl. Co. to Enduring Resources, LLC Uintah County, Utah Lease No. U-80571

Dear Mr. Arlian:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the attached list of wells. After a review by this office, the change in operator request is approved. Effective immediately, Enduring Resources, LLC is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, BLM Bond No. UTB000173, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Leslie Wilcken of this office at (435) 781-4497.

Sincerely,

Matt Baker

Petroleum Engineer

cc:

UDOGM

The Houston Expl. Co.

RECEIVED NOV 0 2 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	Southman Canyon 8-30					
API number:	4304735967					
Location:	Qtr-Qtr: SENE Section: 30 Township: 9S Range: 24E					
Company that filed original application:	The Houston Exploration Company					
Date original permit was issued:	10/04/2004					
Company that permit was issued to:	The Houston Exploration Company					

Check one	Desired Action:
	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
1	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?		✓
If so, has the surface agreement been updated?		
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		✓
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		✓
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?		✓
Has the approved source of water for drilling changed?		✓
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		✓
Is bonding still in place, which covers this proposed well? Bond No. RLB0008031	✓	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Alvin R. (Al) Arlian	Title Landman - Regulatory Specialist
Signature	Date 11/03/2005
Representing (company name) Enduring Resources, LLC	DEOFWER

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

NOV 0 4 2005

(3/2004)

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company:	ENDURING RESOU	RCES LLC
Well Name:	SOUTHMAN CYN 9	0-24-42-30
Api No: 43-047-3	5967 Lease Type:	FEDERAL
Section 30 Township	09S Range 24E County	UINTAH
Drilling Contractor	PETE MARTIN'S	RIG #_ RATHOLE
SPUDDED:		
Date	5/21/06	
Time	1:00 PM	
How	DRY	
Drilling will Comme	ence:	
Reported by	DOUG HAMMOND	
Telephone #	(435) 790-6996	
Date 05/22/2006	SignedCHD	

5/20/2006

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

FORM 6

			ENTITY ACTION	FORM						
Operator:	Endurir	ng Resources, LLC		Oper	ator Acc	count Nu	mber: <u>N</u>	2750		
Address:	475 17	th Street, Suite 1500)	_						
	city De		zip 80202	Phone Number: (303) 350-5114						
Weil 1	1000	V.	/ell:Name	QQ	Sec	Twp	Rng	County		
SOURCE STATE OF STATE	AFRICIADE		. / 5444 - 1	SENW	30	98	24E	Uintah		
	4304735967 Southman Canyon 9-24-42-30 Action:Code Current:Entity New Entity Number Number				pud Da	te	: :E	etty Assignment		

Well 2	Well	Name	QQ	Sec	Twp	Rng	County
, Action Code	Current Entity Number	New Entity Number	Ş	pud Dat	le)	'En	lity Assignment Effective Date
Comments:							

			na sacradija ozodno			***** = 2	ity Assignment
Action Code	Gurrent Entity	New Entity Number	S	pud Da	te	En	Effective Date
	Number	Maniper				\$1000000000000000000000000000000000000	
			<u> </u>			<u> </u>	

ACTION CODES:

Α Comments:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity

99999

mNCS

- Other (Explain in 'comments' section)

Alvin R. (AI) Arlian

Name (Please Print)

Landman-Regulatory

5/22/2006

(5/2000)

RECEIVED

MAY 2 2 2006

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOU	RCES		
D	OIVISION OF OIL, GAS AND MI	NING 	!	ASE DESIGNATION AND SERIAL NUMBER: U-80571
SUNDRY	NOTICES AND REPORTS	S ON WELL	S 6. IF	INDIAN, ALLOTTEE OR TRIBE NAME: A
Do not use this form for proposals to drill new drill horizontal later	v wells, significantly deepen existing wells below cur rals. Use APPLICATION FOR PERMIT TO DRILL f	rent bottom-hole depth, form for such proposals.	reenter plugged wells, or to N/	NIT OF CA AGREEMENT NAME: A
1. TYPE OF WELL OIL WELL	GAS WELL 🗹 OTHER		· .	ELL NAME and NUMBER: uthman Canyon 9-24-42-30
2. NAME OF OPERATOR: Enduring Resources, LLC	· ·	20.48 HJ		NUMBER: 04735967
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500	Denver STATE CO ZIP			IELD AND POOL, OR WILDCAT: Idcat
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,875' F				Llintob
		45 0	COUR	गाप: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE	e, meridian: SENE 30 9S 2	4E S	STAT	E: UTAH
	OPRIATE BOXES TO INDICAT			OR OTHER DATA
TYPE OF SUBMISSION			E OF ACTION	
☐ NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TR	EAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTR	UCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CH	ANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABA	ANDON	VENT OR FLARE
✓ SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	<u></u>	WATER DISPOSAL
(Submit Original Form Only)	_		(OTABT/9501115)	
Date of work completion:	CHANGE WELL STATUS	=	(START/RESUME)	WATER SHUT-OFF
9/29/2006	COMMINGLE PRODUCING FORMATIONS	RECLAMATION	OF WELL SITE	отнея: Conductor-Surface
	CONVERT WELL TYPE	RECOMPLETE	- DIFFERENT FORMATION	Pipe Report
5-22-2006 MIRU Pete Mart cement with 3 ya 6-2-2006 MIRU Bill Jr's Ra Run 47 joints of 3	tin's Rathole Service, drill 40' of ards of Readymix Cement. athole Service and drill 12-1/4" t 8-5/8", J55, 32# casing to 1985 s pumped 230 sx lead, 200 sx ta	20" conductor to 2,040' (hit fro '. Cement guid	hole. Run 40' of 14" co esh water at 960'). de shoe, float collar, and	l 8 centralizers.
NAME (PLEASE PRINT) Alvin R. (AI)	Arlian	TITLE	Landman - Regulatory	Specialist
SIGNATURE -	= '		9/29/2006	

(This space for State use only)

RECEIVED

OCT 1 0 2006

STATE OF UTAH MENT OF NATURAL RESOURCES

		DEPARTMENT OF NATURAL RESOURCES								
	· !	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571							
	SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A									
Do	not use this form for proposals to drill n drill horizontal la	ew wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to terais. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: N/A							
1. TY	OIL WELL	GAS WELL 🗸 OTHER	8. WELL NAME and NUMBER:							
2 N/	AME OF OPERATOR:		Southman Canyon 9-24-42-30 9. API NUMBER:							
En	during Resources, LLC	Mark and the second of the sec	4304735967							
	DDRESS OF OPERATOR: 5 17th Street, Suite 1500	Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Wildcat							
	OCATION OF WELL	ENU 0401 EE1								
FC	DOTAGES AT SURFACE: 1,875'	FNL - 818' FEL	соинту: Uintah							
Q.	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN: SENE 30 9S 24E S	STATE: UTAH							
11.	CHECK APPR	OPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA							
	TYPE OF SUBMISSION	TYPE OF ACTION								
	NOTICE OF INTENT	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION							
_	(Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL							
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON							
		CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR							
		CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE							
✓	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL							
	Date of work completion:	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF							
	10/3/2006	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: First Gas Sales							
		CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION								
12.	DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volum	es, etc.							
Fir	st sales on October 3-2	006. The next morning well was down, with 1950# SICP and with	h the choke plugged with sand							
			i the choke plugged with saild.							
It p	produced 156 MCF and	an estimated 100 BF.								
Th	is well flows into the Qu	estar pipeline system.								
Со	mpletion Report To Foll	ow.								
NIA BAT	E(PLEASE PRINT) Alvin R. (A) Arlian _{TITLE} Landman - Regu	latory Specialist							
INVIVI	() LEAGE FIGHT)									
SIGN	ATURE	DATE 10/4/2006								
his sp	ace for State use only)	REC	EIVED							
		· · · · · · · · · · · · · · · · · · ·								

OCT 1 0 2006

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DRY

DIFF. RESVR.

STATE CO ZIP 80202

BOTTOM (MD)

40

2,005

7,821

DEPTH SET (MD

BOTTOM (TVD)

ABANDON

GAS WELL Z

RE-ENTRY

16. DATE COMPLETED:

10/1/2006 19. PLUG BACK T.D.: MD 7.821

AI Williner, GIR, Res, Por, PE, TOP

TOP (MD)

0

20

20

SIZE

TOP (TVD)

WELL COMPLETION OR RECOMPLETION REPOR

WELL

BEEP-

AT TOP PRODUCING INTERVAL REPORTED BELOW: same as above

15. DATE T.D. REACHED:

WEIGHT (#/ft.)

Linepipe

32#

11.60#

PACKER SET (MD)

8/16/2006

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)

CONFIDENTIA						ENDE ghligh EASE D	t char	PORT nges) ATION A	ND SI	FORM	
							805		- -	55 NAME	
POR	T	AND	LOG			V/A	N, ALLC) I IEE O	K IKI	BE NAME	
ОТН	ER						CA AGF	REEMEN	T NAN	/E	
						N/A	AME an	d NUMB	R:		
отн	ER				_	Sout	hma	n Car	yor	9-24-42-3	0
				-		PI NUM 4304	BER:	967			
	-		NUMBER:		10 F	IELD A	ND PO	OL, OR W	/ILDC	AT	
2		(30	3) 573-	1222		Wild		OTION T	OWN	CHID DANCE	
										SHIP, RANGE,	
					St	ENE	30	98	>	24E	
					12.	COUNT	Υ		_	13. STATE	
						Jinta	h		\perp	UTA	AH —
NDON	ED		READY TO	PRODUC	E 🔼			ONS (DF		, RT, GL):	
0. IF N	/ UL	TIPLE CO	MPLETION	IS, HOW	MANY? *	21. D	EPTH E	RIDGE	MD	7,710	
5							PLUG S	SET:	TVI	0	
	1	3.	L CORED?		NO	[7]	YES	П	(Suh	mit analysis)	
~		AS WELI				NO YES (Submit report)					
	D	IRECTIO	NAL SURVE	Υ?	NO	NO YES (Submit copy)					
											
	EPT	IENTER H	NO. OF S		SLUI VOLUM		, cı	EMENT T	OP **	AMOUNT PUL	LLED
	_		3 yards			0 (CIR			R)	0	
			CIG	1,030	32	20	0 20(CIR		R)	0	
			CIG	1,292	36	31	2	2400(CBI) 0	
					<u> </u>		-			 	_
					<u> </u>		Щ.				
T (MD)		PACKE	R SET (MD)	1	SIZE	Т	DEPT	H SET (A	MD)	PACKER SET ((MD)
	27.	PERFO	RATION RE	CORD							
VD)			L (Top/Bot -		SIZE	<u> </u>	OLES		-	RATION STATUS	
		,720		,721	1'slot		1	-		Squeezed	
	6	,848	/	,670	1'slot	 '	4		<u> </u>	Squeezed	
						\vdash		Open	井	Squeezed Squeezed	
						<u>. </u>					
	oui	NT AND T	YPE OF MA	TERIAL							
AMO									_		
	t i	n Was	atch fo	rmatio	on.						

DEPTH INTERVAL Placed 46,000 lbs Ottawa 20/40 proppan

OTHER:

4720' - 4721'

Placed 154,000 lbs Ottawa 20/40 proppa 6848' - 7670'

BOTTOM (MD)

4,721

7,670

29.	ENCLOSED	ATTACHMENTS:

1a. TYPE OF WELL:

b. TYPE OF WORK:

2. NAME OF OPERATOR:

14. DATE SPUDDED:

18. TOTAL DEPTH: MD

Previously submitted

8/7/2006

HOLE SIZE

25. TUBING RECORD

SIZE

(A) Wasatch Mesaverde

(C) (D)

26. PRODUCING INTERVALS

FORMATION NAME

20"

12-1/4"

7-7/8"

3. ADDRESS OF OPERATOR:

4. LOCATION OF WELL (FOOTAGES)

NEW Z

HORIZ.

Enduring Resources, LLC

475 17th St, Suite 1500 cary Denver

AT SURFACE: 1,875' FNL - 818' FEL

7,955

24. CASING AND LINER RECORD (Report all strings set in well)

J55

N80

DEPTH SET (MD)

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

ELECTRICAL/MECHANICAL LOGS

TOP (MD)

4,720

6,848

SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION

SIZE/GRADE

14"

8 5/8

4 1/2

AT TOTAL DEPTH: same as above

DST REPORT GEOLOGIC REPORT

CORE ANALYSIS

DIRECTIONAL SURVEY

Producing

(CONTINUED ON BACK) (5/2000)

RECEIVED OCT 2 3 2006

10/3/2006		TEST DATE: 10/16/2	006	HOURS TESTED	o: 76	TEST PRODUCTIO	N OIL – BBL:	GAS - MCF: 836	WATER - BBL:	PROD. METHOD:
CHOKE SIZE: 18/64	TBG. PRESS.	CSG. PRESS 948				24 HR PRODUCTION	ON OIL - BBL:	GAS - MCF: 1,074	WATER - BBL:	INTERVAL STATUS
10/01	1			INT	ERVAL B (As show	wn in item #26)				<u>-1</u>
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTED		TEST PRODUCTIO	N OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	. API GRAVITY	/ BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	ON OIL – BBL:	GAS - MCF:	WATER BBL:	INTERVAL STATUS
		L	1	INT	ERVAL C (As show	wn in Item #26)				
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTED):	TEST PRODUCTIO RATES: →	N OIL – BBL:	GAS – MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	ON OIL - BBL:	GAS – MCF:	WATER BBL:	INTERVAL STATUS
				INT	ERVAL D (As show	wn in item #26)				_
DATE FIRST PR	ODUCED:	TEST DATE:		HOURS TESTED); 	TEST PRODUCTIO RATES: →	ON OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS	. API GRAVITY	7 BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION PATES: →	ON OIL - BBL:	GAS MCF:	WATER – BBL:	INTERVAL STATUS
32. DISPOSITION Sold	N OF GAS (Sold,	Used for Fuel,	Vented, Etc.)							
Show all importa	OF POROUS ZON nt zones of porosit used, time tool oper	y and contents	thereof: Cored inte hut-in pressures a	ervals and all drill-stem nd recoveries.	n tests, including de	epth interval				
Formation	on	Top (MD)	Bottom (MD)	Descript	tions, Contents, etc	i.		Name	,	Top Measured Depth)
Green Riv Wasatch Mesaverd 35. ADDITIONA	4	,968 ,174 ,723	rocedure)							
36. I hereby cer	tify that the foreg	oing and attac	hed information i	s complete and corre	ect as determined	from all available re	ecords.			
NAME (PLEAS	E PRINT) Kevi	n Lee	A			TITLE Eng	gineering Te	ech	·	
SIGNATURE _	K	1.	v			DATE 10/	18/2006			
This report m	ust he submitt	ed within 30) days of							

INTERVAL A (As shown in item #26)

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests
- * ITEM 20: Show the number of completions if production is measured separately from two or more formations.
- ** ITEM 24: Cement Top Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to:

31. INITIAL PRODUCTION

Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

801-359-3940 Fax:

(5/2000)



FORM 9

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU. GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571							
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A							
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: N/A							
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Southman Canyon 9-24-42-30							
2. NAME OF OPERATOR:	9. API NUMBER:							
Enduring Resources, LLC	4304735967							
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 350-5114	10. FIELD AND POOL, OR WILDCAT: Wildcat							
4. LOCATION OF WELL								
FOOTAGES AT SURFACE: 1,875' FNL - 818' FEL COUNTY: Uintah								
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 30 9S 24E S STATE:								
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA							
TYPE OF SUBMISSION TYPE OF ACTION								
ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION							
NOTICE OF INTENT ACIDIZE DEEPEN Submit in Duplicate) ALTER CASING FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL							
NOTICE OF INTENT								
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR FRACTURE TREAT NEW CONSTRUCTION	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG AND ABANDON PLUG BACK CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME)	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON CHANGE TUBING CHANGE WELL NAME PLUG BACK CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG AND ABANDON SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: PRODUCTION (START/RESUME)	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:							
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS OPERATOR CHANGE CHANGE TUBING PLUG AND ABANDON SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 5/4/2007 CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:							

In order to prevent waste of gas, as defined by law; to protect the correlative rights of all parties concerned; to prevent the drilling of un-necessary wells; and to insure proper and efficient development and promote conservation of the gas resources of the State of Utah, Enduring Resources, LLC respectfully request approval to perforate and commingle the Wasatch and Mesaverde formations "pools" in the same well bore.

- 1. Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs.
- 2. These formations shall be commingled in the well bore and produced concurrently in a single string of 2-3/8" production tubing.
- 3. Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units.
- 4. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas lease or production units overlying the "pool."

		A TREATMENT OF THE PROPERTY OF
NAME (PLEASE PRINT) Alvin R. (AI) Arlian	TITLE	Landman - Regulatory Specialist
SIGNATURE 3	DATE	5/4/2007

(This space for State use only)

Accepted by the Utah Division of Oil, Gas and Mining

Federal Approval Of This Action Is Necessary RECEIVED MAY 0 7 2007

Date:

(See Instructions on Reverse Side)

(5/2000)

DIV. OF OIL, GAS & MINING

ENDURING RESOURCES, LLC

425 Seventeenth Street, Suite 1500 Denver, Colorado 80202 Telephone: 303-573-1222 Facsimile: 303-573-0461

May 2, 2007

Dark horse Exploration P.O. Box 2153 Evanston, WY 82931-2153 CERTIFIED MAIL ARTICILE NO: 7006 3450 0001 4272 4104

Attention:

Land Department

RE:

Commingling Application Southman Canyon 9-24-42-30 SENE Sec. 30-T9S-R24E Uintah County, Utah

Dear Leasehold Interest Owner:

Enduring Resources, LLC ("Enduring") has filed an application with the State of Utah Division of Oil, Gas, and Mining requesting approval of the Wasatch and Mesaverde formations (pools) in the above-referenced well to be commingled.

Ownership in both formations is the same. However, in the event allocation of production is necessary, that allocation will be based on proportionate net pay based on well logs. These formations (pools) shall be commingled in the well's well bore.

Attached is a map showing the location of wells on contiguous oil and gas leases and/or production units. Also attached is an affidavit confirming that this application has been provided to leasehold interest owners in contiguous oil and gas leases or production units overlying the commingled pools (commingled formations).

Should you have any questions concerning this matter, please do not hesitate to call (303-350-5114)

Very truly yours

ENDURING RESOURCES, LLC

Alvin R. (Al) Arlian

Landman - Regulatory Specialist

ara/

Attachments as stated:

RECEIVED MAY 0 7 2007

DIV. OF OIL, GAS & MINING

AFFIDAVIT OF MAILING

Statue of Colorado)
City and)ss.
County of Denver)

Alvin R. Arlian (hereinafter sometimes referred to as "Affiant"), of lawful age, being first duly sworn upon oath, deposes and says:

- 1. Affiant is a Landman-Regulatory Specialist for Enduring Resources, LLC (hereinafter sometimes referred to as "Enduring") whose address is 475 17th Street, Denver, Colorado 80202,
- 2. Enduring is the operator of the following described oil and gas well:

Southman Canyon 9-24-42-30 SENE Sec. 30-T9S-R24E Uintah County, Utah

- 3. A cursory search of applicable records confirmed that the following parties are the only leasehold interest owners in the contiguous oil and gas wells, contiguous oil and gas leases, or contiguous oil and gas well production units overlying the "pool."
 - 1. Dark Horse Exploration
- 2. Curton Capital Corp
- 3. Texas Sabal, Inc.
- 4. Houston Exploration Company
- 4. On Friday, May 4, 2007, Affiant mailed (or caused to be mailed) in U.S. Mail, with postage prepaid, a copy of the attached Application for Commingling two or more pools (formations) in one well bore of the well described in Paragraph No. 2 above which said Application for Commingling (Form 9) has/had concurrently been filed with the State of Utah Division of Oil, Gas, and Mining (and if applicable, copies sent to SITLA, and the Bureau of Land Management), and
- 5. Attached is a map showing the location of wells' located on contiguous oil and gas leases and/or production units.

Affiant saith no more.


Alvin R. Arlian, Affiant

Scribed and sworn to before me this 4th day of May, 2007 by Alvin R. Arlian.

My Commission Expires:

Notary Public.

MAP ATTACHED TO ENDURING RESOURCES, LLC COMMINGLING APPLICATION FOR SOUTHMAN CANYON 9-24-42-30 LOCATED IN THE SENE SEC. 30, T9S-R24E



STATE OF UTAH

	ורח		^
ru.	Γ.	M	9

DIVISION OF OIL, GAS AND MINING		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-80571					
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7. UNIT OF CA AGREEMENT NAME: N/A			
1. TYPE OF WELL OIL WELL GAS WELL OTHER					8. WELL NAME and NUMBER: Southman Canyon 9-24-42-30		
2. NAME OF OPERATOR: Enduring Resources, LLC				9. API NUMBER: 4304735967			
3. ADDRESS OF OPERATOR: 475 17th Street, Suite 1500 CHTy Denver STATE CO ZIP 80202 (303) 350-5114					10. FIELD AND POOL, OR WILDCAT: Wildcat		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,875	FNL - 818' FEL			COUNT	y: Uintah		
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN: SENE 30 9S 2	24E S		STATE	: UTAH		
11. CHECK APPI	ROPRIATE BOXES TO INDICAT	TE NATURE	OF NOTICE, REPOF	RT, O	R OTHER DATA		
TYPE OF SUBMISSION		T	YPE OF ACTION				
NOTICE OF INTENT	ACIDIZE	DEEPEN			REPERFORATE CURRENT FORMATION		
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT		SIDETRACK TO REPAIR WELL		
Approximate date work will start:	CASING REPAIR	NEW CONS	TRUCTION		TEMPORARILY ABANDON		
	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE		TUBING REPAIR		
	CHANGE TUBING	PLUG AND	ABANDON		VENT OR FLARE		
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	•		WATER DISPOSAL		
Date of work completion:	CHANGE WELL STATUS	PRODUCTIO	ON (START/RESUME)		WATER SHUT-OFF		
·	✓ COMMINGLE PRODUCING FORMATIONS	RECLAMATI	ION OF WELL SITE	Z	отнея: Conformation of		
9/24/2008	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION		Commingling		
First sales on October 3, 2	MPLETED OPERATIONS. Clearly show all posteriors of the comming and the Wasatch				nitial completion attempt.		
NAME (PLEASE PRINT) Alvin R. (A	I) Arlian	TITLE		itory S	Specialist		
SIGNATURE		DATE	9/24/2008				
This appear for State use anhalt							

(This space for State use only)

RECEIVED

SEP 2 9 2003